

Referenslista till Barn, ungdomar och smärta, Skolhälsovård nr 4, 2005-06

Introduktion

1. Chadwick J, Mann W. The medical works of Hippocrates: a new translation from the original Greek made especially for English readers. Oxford: Blackwell scientific publications; 1950.
2. Melzack R, Wall P. Pain mechanisms: a new theory. *Nature* 1965;150:971-979.
3. Fitzgerald M, Koltzenburg M. The functional development of descending inhibitory pathways in the dorsolateral funiculus of the newborn rat spinal chord. *Dev Brain Res* 1986;24:261-270.
4. Anand K, Phil D, Hickey P. Pain and its effects in the human neonate and fetus. *New Engl J Med* 1987;317:1321-1329.
5. Grunau R, Whitfield M, Petrie J, Fryer E. Early pain experience, child and family factors, as precursors of somatization: a prospective study of extremely premature and full-term children. *Pain* 1994;56:353-359.
6. Anand K, Thrivikraman K, Engelmann M, Su Y, Plotsky P. Adult rat behavior and stress responses following pain in the neonatal period. *Pediatric Research* 1995;4(2):57A.
7. Taddio A, Katz J, Ilersich A, Koren G. Effect of neonatal circumcision on pain response during subsequent routine vaccination. *Lancet* 1997;349:599-603.
8. Weisman S, Bernstein B, Schechter N. Consequences of inadequate analgesia during painful procedures in children. *Arch Pediatr Adolesc Med* 1998;152:147-149.

Diagnostik – smärtutvärdering

Analys av smärttyp

1. Merskey H. The definition of pain. *Eur J Psychiatry* 1991;6:153-159.
2. Barr R. Recurrent abdominal pain. In: Levine M, Carey W, Crocker A, Gross T, editors. *Developmental-behavioral pediatrics*. Philadelphia: Saunders; 1983. p. 521-528.
3. Chadwick J, Mann W. The medical works of Hippocrates: a new translation from the original Greek made especially for English readers. Oxford: Blackwell scientific publications; 1950.

Smärtskattning

1. Le Baron S, Zeltzer L. Assessment of acute pain and anxiety in children and adolescents by self-reports, observer reports and behavior checklist. *J Consult Clin Psychol* 1984; 52:729-38.

2. McGrath P A. An assessment of children's pain: a review of behavioral, physiological and direct scaling techniques. *Pain*. 1987;31:147-176.
3. Hamers J P H, Huijjer Abu-Saad H, van den Hout M A, Halfens R J G, Sshumacher J N M. Factors influencing pain assessment and intervention in children. *Journal of Advanced Nursing*. 1994;10:853-860.
4. McGrath P A, Seifert C E, Speecchley K N, Booth C J, Stitt L, Gibson M C. A new analogue scale for assessing children's pain: an initial validation study. *Pain*. 1996;64:435-443.
5. Bieri D, Reeve R, Champion GD, Addicoat L, Ziegler JB, The Faces Pain Scale for the self-assessment of the severity of pain experienced by children: development, initial validation, and preliminary investigation for ratio scale properties. *Pain* 1990;41:139-150.
6. Huijjer Abu-Saad, Bours G J J W, Stevens B, Hamers J P H. Assessment of Pain in the neonate. *Seminars in Perinatology*. 1998;22 No5:402-416.
7. Craig K, Whitfield M, Grunau R, Linton J Hadjistavropoulos H. Pain in the preterm neonate: behavioural and physiological indices. *Pain*.1993;52:287-99.
8. Mc Arthur E, Cuncliffe M. Pain assessment and documentation - making a difference. *Journal of Child Health Care*.1998;2:164-169.

Farmakologi

1. Twycross A., Moriaty A., Betts T. *Paediatric Pain Management*. Radcliffe Medical Press 1998.
2. McKenzie I., Gaukroger P., Ragg P., Brown TCK. *Manual of Acute Pain Management in Children*, Churchill Livingstone 1997.
3. Schechter L., Berde C., Yaster M. (Eds.), *Pain in infants, children and adolescents*. Williams & Wilkins 1993. Baltimore, MA, USA.
4. Yaster M., Krane E., Kaplan, Coté C., Lappe D. *Pediatric Pain Management*. Mosby-Yearbook 1997, Missouri, USA.
5. Anderson B. What we don't know about paracetamol in children. *Paediatric Anaesthesia* 1998 ; 8:451-460.
6. Lin Y-C., Sussman H., Benitz W. Plasma concentration after rectal administration of acetaminophen in preterm neonates. *Paediatric Anaesthesia* 1997; 7: 457-459.
7. Hahn T. et al. Pharmacokinetics of rectal paracetamol after repeated dosing in children. *Brit J Anaesthesia*. 2000; 85 (4): 512-9.

8. Forrest J., Heitlinger E., Revell S. Ketolorac for Postoperative Pain Management in children. *Drug safety* 1997; 16: 309-329.
9. Autret E., Reboul-Marty J., Henry-Launois B et al. Evaluation of ibuprofen versus aspirin and paracetamol on efficacy and comfort in children with fever. *Euro J Pharmacol* 1997; 51: 367-371.
10. Mäkelä A-L., Lempiäinen M., Yrjänä T. Ibuprofen in the treatment of juvenile arthritis: Metabolism and concentration in synovial fluid. *Brit J Clin Pract* 1989; 6: 23-27.
11. Murthy B., Pandya K., Booker P., Murray A., Lintz W., Terlinden R. Pharmacokinetics of tramadol in children after i.v or caudal epidural administration. or caudal epidural administration. *British Journal of Anaesthesia* 199; 84: 346-349.
12. Vani G., Bergendahl H., Lampugnanai E. et al. Plasma levels of clonidine following epidural bolus injection in children. *Acta Anaest. Scan.* 1998; 42: 306-311.
13. Lonnqvist P., Bergendahl h., Eksborg S. Pharmacokinetics of clonidine after rectal administration in children. *Anesthesiology* 1994; 81: 1097-1101.
14. Bergendahl H., Eksborg S., Lonnqvist P. Low-dose intravenous clonidine in children: plasma concentrations and hemodynamic response. *Acta Anaesth. Scan.* 1997; 41:381-384.
15. Kart T., Chistrup L., Rasmussen M. Recommended use of morphine in neonates, infants and children based on a literature review: Part 1 - Pharmacokinetics, Part 2 Clinical use. *Paediatric Anaesthesia* 1997 7:5-11, 93-101.
16. Choonara A., McKay P., Rane A. Morphine metabolism in children. *British Journal of Clinical Pharmacology* 1989; 28: 599-604.
17. Yaster M., Jayant K., Deshpanande J. Management of pediatric pain with opioid analgesics. *The Journal of Pediatrics* 1988: 421-426.
18. Andersen S. et al. The opioid ketobemidone has a NMDA blocking effect. *Pain* 1996; 67: 369-374.
19. Griffin G., Campbell V., Jones R. Nitrous oxide-oxygen sedation for minor surgery. Experience in a pediatric setting. *Journal of American Medical Association* 1981;245: 2411-2413.
20. Dollfus C., Annequin D., Adam M. Nitrous oxide for providing analgesia during painful procedures required for managing pediatric malignancies. *Annales de Pédiate* 1995; 42: 115-121.
21. Berde C. Convulsions associated with Paediatric Regional Anaesthesia. *Anesthesia & Analgesia* 1992; 75: 164-166.
22. Covino B. Pharmacology of local anaesthetic agents. *British J Anaesthesia* 1986; 58: 701-716.

23. Saint-Maurice C, Schulte-Steinberg O.(Eds.). Regional anaesthesia in children. Mediglobe, Chap. Pharmacology and Pharmacokinetics 1990: 39-59.
24. Taddio A., Shennan A., Stevens B., Leeder J. Safety of lidocaine-prilocaine cream in children in the treatment of preterm neonates. *The Journal of Pediatrics* 1995; 6: 10002-1005.
25. Brisman M., Ljung B., Otterbom I., Larsson L., Andreasson S. Methaemoglobin formation after the use of EMLA cream in term neonates. *Acta Paediatrica* 1998; 87 :1191-1194.

Psykologiska och fysikaliska behandlingsmetoder

1. McGrath PA, Hillier LM. Controlling children's pain. In: Gatchel RJ, Turk DC (Eds). *Psychological Approaches to Pain Management*. New York:Guilford,1996, pp 331-370.
2. McCarthy A, Cool V, Petersen M, Breune D. Cognitive-behavioral interventions in pediatric hematology/oncology centers and bone marrow transplant units. *J Ped Onc Nurs* 1996;13:3-12.
3. Larsson B, Carlsson J. A school-based, nurse-administered relaxation training for children with chronic tension-type headache. *J Pediatr Psychol* 1996; 21:603-14.
4. Sanders MR, Shepherd RW, Cleghorn G, Woolford H. The treatment of recurrent abdominal pain in children: a controlled comparison of cognitive-behavioral family intervention and standard pediatric care. *J Consult Clin Psychol* 1994; 62: 306-14.
5. Walco GA, Varni JW, Illowite NT. Cognitive-behavioral pain management in children with juvenile rheumatoid arthritis. *Pediatrics* 1992; 89:1075-1079.
6. Wilder RT, Berde CB, Wolohan M et al. Reflex sympathetic dystrophy in children. *J Bone Joint Surg* 1992; 74:910-919.
7. Zeltzer LK, Jay SM, Fischer DM. The management of pain associated with pediatric procedures. *Pediatr Clin NA* 1989; 36:941-964.
8. Månsson ME, Bjorkhem G, Wiebe T. The effect of preparation for lumbar puncture on children undergoing chemotherapy. *Oncology Nursing Forum* 1993; 20: 39-45.
9. Ellis J, Spanos N. Cognitive-behavioral interventions for childrens distress during bone marrow aspirations and lumbar punctures: A critical review. *J Pain Symptom Manage* 1994; 9:96-108.
10. Olness K, Gardner G. *Hypnosis and hypnotherapy with children*. Philadelphia: Grune & Stratton, 1988.
11. Kuttner Leora. Hypnotic Interventions for children in pain. In Schechter NL, Berde CB, Yaster M (Eds). *Pain in infants, children and adolescents*. Baltimore: Williams & Wilkins, 1993, pp229-236.

Smärta och smärtbehandling i nyföddhetsperioden

1. Anand KJS, Hickey PR. Pain and its effects in the human neonate and foetus. *New England Journal of Medicine* 1987; 317: 1321-1347.
2. Fitzgerald M. In: Anand KJS, Mc Grath PJ (Eds). *Pain in neonates*. Elsevier 1993. Amsterdam, The Netherlands pp 30-31.
3. Fitzgerald M. Development of pain mechanisms. *British Medical Bulletin* 1991; 47: 667-675.
4. Ishimaru MJ, Ikonomidou C, Tenkova TI, Der TC, Dikranian K, Sesma MA, Olney JW. Distinguishing excitotoxic from apoptotic neurodegeneration in the developing rat brain. *Journal of Comparative Neurology* 1999; 408: 461-476.
5. Taddio A, Katz J, Ilersich AL, Koren G. Effect of neonatal circumcision on pain response during subsequent routine vaccination. *Lancet* 1997; 349: 599-603.
6. Dixon S, Snyder J, Holve R, Bromberger P. Behavioural effects of circumcision with and without anaesthesia. *Journal of Developmental and Behavioral Pediatrics* 1984; 5: 246-250.
9. Johnston CC, Steves BJ. Experience in neonatal intensive unit affects pain response. *Pediatrics* 1996; 98: 925-930.
10. Levy-Shiff R, Einat G, Har-Even D, Moligner M, Moligner S, Lerman M, Krikler R. Emotional and behavioral adjustment in children born prematurely. *Journal of clinical child psychology* 1994; 23: 232-333.
11. Botting N, Powlis A, Cooke RW, Marlow N. Cognitive and educational outcome of very-low-birthweight children in early adolescence. *Developmental Medicine & Child Neurology* 1998; 40: 652-660.

Akut smärta hos barn

Smärtbehandling vid akuta buksmärter och akut skalltrauma

1. Pearl RH, Hale DA, Molloy M, Schutt DC, Jaques DP. Pediatric appendectomy. *J Pediatr Surg* 1995; 30:173-81.
2. Attard AR, Corlett MJ, Kidner NJ, Leslie AP, Fraser IA. Safety of early pain relief for acute abdominal pain. *BMJ* 1992;305:554-6.
3. Kim MK, Strait RT, Sato TT, Hennes HM. A randomized clinical trial of analgesia in children with acute abdominal pain. *Acad Emerg Med* 2002;4:281-7.
4. Rhoney DH, Parker D Jr. Use of sedative and anesthetic agents in neurotrauma patients: effects on cerebral physiology. *Neurol Res* 2001;23:237-59.

Smärta vid brännskador

1. Ashburn, M.A. 1995. Burn pain: the management of procedure-related pain. *J Burn Care Rehabil*, 16(3 Pt 2): p. 365-71.
2. Beushausen, T. and K. Mücke. 1997. Anesthesia and pain management in pediatric burn patients. *Pediatr Surg Int*, 12(5/6): p. 327-33.
3. Cortiella, J. and J.A. Marvin. 1997. Management of the pediatric burn patient. *Nurs Clin North Am*, 32(2): p. 311-29.
4. Pal, S.K., J. Cortiella, and D. Herndon. 1997. Adjunctive methods of pain control in burns. *Burns*, 23(5): p. 404-12.
5. Sheridan, R.L., M. Hinson, A. Nackel, M. Blaquiere, W. Daley, B. Querzoli, J. Spezzafaro, P. Lybarger, et al. 1997. Development of a pediatric burn pain and anxiety management program. *J Burn Care Rehabil*, 18(5): p. 455-9; discussion 453-4.

Procedursmärta

Venpunktion på barn

1. Andrejs Ozolins. Perifer venpunktion på barn. Analys och optimering av faktorer relaterade till sjuksköterska, patient och situation. *Vård i Norden* 3/1998 No 49 Vol 18.
2. Andrejs Ozolins, Carina Isaksson. Attityder bland sjuksköterskor till faktorer kring utförande av av perifer venpunktion på barn. *Vård i Norden* 2/1998 No 48 Vol 18.
3. Elizabeth A. Cummings, Greham J. Reid, G. Allen Finley, Patrick J. Mc Grath and Judith A. Richtie. Prevalence and source of pain in pediatric inpatients. *Pain* 68 (1996) 25-31.
4. Pain in Infants, Children and Adolescents. Neil L Schechter, Charles B Berde, Myron Yaster. Maryland: Williams & Wilkins 1993.
5. M Brisman, BML Ljung, I Otterbom, LE Larsson and SE Andréasson. Methemoglobin formation after the use of EMLA cream in full term neonates. *Acta Paediatr* 87: 1191-4. 1998.
6. David Steward, Editor. Management of Childhood Pain. New approaches to procedure-related pain. Proceedings of a round table discussion. *The Journal of Pediatrics*, Volume 122, May 1993, No 5, Part 2.
7. E Gorrier, P. Karoubi, A. El Hanache, G Merbouche, G. Mouchinino and J. Leralliez. Use of EMLA cream in a Department of Neonatology. *Pain*. 68 (1996) 431-434.
8. Skogsdal Y, Eriksson M, Scollin J. Analgesia in newborns given oral glucose. *Acta Paediatr* 1997; 86; 217-20.
9. Midazolam inom anestesi- och intensivvård. H Haljamäe m fl, ISBN 91-972190-0-2. 1993.

Smärta vid upprepade dagliga subcutana injektioner och blodprovstagningar

1. Agras S, Sylvester D, Oliveau D. The epidemiology of common fears and phobia. *Comprehens Psychiat* 1969; 10: 151-6.
2. Hanas R, Ludvigsson J. Experience of pain from insulin injections and needle-phobia in young patients with IDDM. *Practical Diabetes* 1997;14:95-99.
3. Hanas R, Lytzen L, Ludvigsson J. Thinner needles do not influence injection pain, insulin leakage or bleeding in children and adolescents with type 1 diabetes. *Pediatric Diabetes* 2000;1:142-49.
4. Hanas R and Ludvigsson J. Side effects and indwelling times of subcutaneous catheters for insulin injections: A new device for injecting insulin with a minimum of pain in the treatment of insulin-dependent diabetes mellitus. *Diabetes Res Clin Pract* 1990;10:3-83.
5. Hanas R, Adolfsson P, Hammarén L, Ilvered R, Kroon K, Ludvigsson J. Indwelling catheters used from the onset of diabetes decrease injection pain and pre-injection anxiety. Accepted for publication by *J Pediatrics* 2001.
6. Taddio A, Katz J, Ilersich AL, Koren G. Effect of neonatal circumcision on pain response during subsequent routine vaccination. *Lancet* 1997;349:599-603.
7. Weisman SJ, Bernstein B, Schechter NL. Consequences of inadequate analgesia during painful procedures in children. *Arch Pediatr Adolesc Med* 1998;152:147-9.
8. Diglas J, Feinböck C, Winkler F, Egger T, Weitgasser R, Pieber T, Lytzen L, Irsigler K. Reduced pain perception with Pen Mate™, an automatic injection device for use with an insulin pen. *Pract Diab Int* 1999;16:39-41.
9. Stanhope R, Albanese A, Moyle L, Hamill G. Optimum method for administration of biosynthetic growth hormone: a randomised crossover trial of an autoinjector and a pen injector system. *Arch Dis Child* 1992;67:994-97.
10. Theinz GE, Sizenko PC. Risks of jet injection in children. *Eur J Pediatrics* 1991; 150:554-56.
11. Verrips GH, Hirasing RA, Fekkes M, Vogels T, Verloove Vanhorick SP, Delemarre Van de Waal HA. Psychological responses to the needle-free Medi-Jector or the multidose Disetronic injection pen in human growth hormone therapy. *Acta Paediatr* 1998;87:154-8.
12. Hanas R, Hallman M, Hanas P, Järlöv-Hjelm B, Karttunen AS. No difference in pain perception when two types of lancets for blood glucose testing were used. *Diabetologia* 1997;40(Suppl 1):A358 (Abstract).
13. Service FJ, O'Brien PC, Wise SD, Ness S, LeBlanc SM. Dermal interstitial glucose as an indicator of ambient glycemia. *Diabetes Care* 1997;20:1426-9.
14. Bode BW, Gross TM, Thornton KR, Mastrototaro JJ. Continuous glucose monitoring used to adjust diabetes therapy improves glycosylated

hemoglobin: a pilot study. *Diabetes Res Clin Pract* 1999;46:183-90.

15. Bolinder J, Hagström-Toft E, Ungerstedt U, Arner P. Self-monitoring of blood glucose in type 1 diabetic patients: Comparison with continuous microdialysis measurements of glucose in subcutaneous adipose tissue during ordinary life conditions. *Diabetes Care* 1997;20:64-70.

16. Garg SK, Potts RO, Ackerman NR, Fermi SJ, Tamada JA, Chase HP. Correlation of fingerstick blood glucose measurements with GlucoWatch biographer glucose results in young subjects with type 1 diabetes. *Diabetes Care* 1999; 22:1708-14.

Smärtbehandling på akutmottagningen

1. Weisman SJ, Bernstein B, Schechter NL. Consequences of inadequate analgesia during painful procedures in children. *Arch Pediatr Adolesc Med* 1998;152:147-9.

2. Jylli L, Olsson GL: Procedural pain in a paediatric emergency unit. *Acta Paediatrica* 1996;84:1403-87.

3. Hatava P, Olsson GL, Lagerkranser M. Preoperative psychological preparation for children undergoing ENT operations: a comparison of two methods. *Paediatric Anaesthesia* 2000;10:477-86.

4. Kennedy RM, Luhmann JD. The "ouchless emergency department". *Emerg Med* 1999;46:1215-47.

5. Iserson KV. Hypnosis for pediatric fracture reduction. *J Emerg Med* 1999;17:53-6.

6. Brent AS. The management of pain in the emergency department. *Ped Clin N Am* 2000;47:651-79.

7. Yaster M, Krane EJ, Kaplan RF, Coté CJ, Lappe D. Sedation and analgesia in the emergency department. In: *Pediatric pain management and sedation handbook*. Mosby Boston 1997;29:545-565.

Postoperativ smärtlindring till barn

1. Gillies ML, Smith LN, Parry-Jones WL. Postoperative pain assessment and management in adolescents. *Pain* 1999;79:207-15.

2. Feldman D, Reich N, Foster JM. Pediatric anesthesia and postoperative analgesia. *Pediatr Clin North Am* 1998;45:1525-37.

Långvarig smärta

Buksmärtor

1. Apley, J. *The Child with Abdominal Pains*. Oxford: Blackwell, 1975.

2. Visceral Pain. Gebhart G.F.editor. IASP Press 1994.
3. Alfvén, G. Barnpsykosomatik. Studentlitteratur 1999.
4. Galler JR, Neustein S, Walker WA. Clinical Aspects of Recurrent Abdominal Pain in Children. *Advances in Pediatrics*. 1980; 27:31-53.

Huvudvärk

1. Bille B, Larsson B, Carlsson J. Migrän och spänningshuvudvärk hos barn och tonåringar. Lund: Studentlitteratur, 1998.
2. Larsson B. Recurrent headaches in children and adolescents. In: *Chronic and Recurrent Pain in Children and adolescents. Progress in Pain Research and Management* (Eds. PJ McGrath & GA Finley). Vol.13., pp. 115-140. Seattle: IASP Press, 1999.
3. Holden EW, Deichmann MM, Levy JD. Empirically supported treatments in pediatric psychology: recurrent pediatric headache. *Journal of Pediatric Psychology*, 1999; 24; 91-109.

Langvarige muskel-skjelettsmerter

1. Malleson PN, Al-Matar M, Petty RE: Idiopathic musculoskeletal pain syndromes in children. *J Rheumato*. 1992; 19: 1786-9.
2. Oster J: Recurrent abdominal pain, headache and limb pains in children and adolescents. *Pediatrics* 1972; 50: 429-36.
3. Goodman JE, McGrath PJ: The epidemiology of pain in children and adolescents: a review. [Review]. *Pain* 1991; 46: 247-64.
4. Flato B, Aasland A, Vandvik IH, Forre O: Outcome and predictive factors in children with chronic idiopathic musculoskeletal pain. *Clin Exp Rheumatol*. 1997; 15: 569-77.
5. Rosenberg AM: Analysis of a pediatric rheumatology clinic population. *J Rheumatol* 1990; 17: 827-30.
6. Denardo BA, Tucker LB, Miller LC, Szer IS, Schaller JG: Demography of a regional pediatric rheumatology patient population. *Affiliated Children's Arthritis Centers of New England. J Rheumatol* 1994; 21: 1553-61.
7. Abu-Arafeh I, Russell G: Recurrent limb pain in schoolchildren. *Arch Dis Childhood* 1996; 74: 336-9.
8. Mikkelsen M, Salminen JJ, Kautiainen H: Non-specific musculoskeletal pain in preadolescents. Prevalence and 1-year persistence. *Pain* 1997; 73: 29-35.
9. Smedbraten BK, Natvik B, Rutle O, Bruusgaard D: Self-reported bodily pain in schoolchildren. *Scand J Rheumatol* 1998; 27: 273-6.
10. Buskila D, Neumann L, Hershman E, Gedalia A, Press J, Sukenik S:

Fibromyalgia syndrome in children--an outcome study. *J Rheumatol* 1995; 22: 525-8.

11. Mikkelsen M, Sourander A, Piha J, Salminen JJ: Psychiatric symptoms in preadolescents with musculoskeletal pain and fibromyalgia. *Pediatrics* 1997; 100: 220-7.
12. Schanberg LE, Keefe FJ, Lefebvre JC, Kredich DW, Gil KM: Pain coping strategies in children with juvenile primary fibromyalgia syndrome: correlation with pain, physical function, and psychological distress. *Arthritis Care Research* 1996; 9: 89-96.
13. Reid GJ, Lang BA, McGrath PJ: Primary juvenile fibromyalgia: psychological adjustment, family functioning, coping, and functional disability. *Arthritis Rheum* 1997; 40: 752-60.
14. Siegel DM, Janeway D, Baum J: Fibromyalgia syndrome in children and adolescents: clinical features at presentation and status at follow-up. *Pediatrics* 1998; 101: 377-82.
15. Sherry DD, McGuire T, Mellins E, Salmonson K, Wallace CA, Nepom B: Psychosomatic musculoskeletal pain in childhood: clinical and psychological analyses of 100 children. *Pediatrics* 1991; 88: 1093-9.
16. Mikkelsen M: One year outcome of preadolescents with fibromyalgia. *J Rheumatol* 1999; 26: 674-82.
17. Aasland A, Flato B, Vandvik IH: Psychosocial factors in children with idiopathic musculoskeletal pain: a prospective, longitudinal study. *Acta Paediatr* 1997; 86: 740-6.
18. Vandvik IH, Forseth KO: A bio-psychosocial evaluation of ten adolescents with fibromyalgia. *Acta Paediatr* 1994; 83: 766-71.
19. Sherry DD, Weisman R: Psychologic aspects of childhood reflex neurovascular dystrophy. *Pediatrics* 1988; 81: 572-8.
20. Walco GA, Ilowite NT: Cognitive-behavioral intervention for juvenile primary fibromyalgia syndrome. *J Rheumatol* 1992; 19: 1617-9.
21. Aasland A, Flato B, Vandvik IH: Patient and parent experiences with health care services in pediatric rheumatology. *Scand J Rheumatol* 1998; 27: 265-72.

Smärta vid reumatiska sjukdomar

1. Kuis W, Heijnen C J, Hogeweg J A, Sinnema G, Helders P J M. How painful is juvenile chronic arthritis? *Archives of Disease in Childhood* 1997; 77:451-453.
2. Nisell R och medarbetare. Smärtanalys vital vid reumatiska sjukdomar. *Läkartidningen* 1998; 95(11):1130-1139.
3. Kidd, Bruce L och medarbetare. Pathophysiology of joint pain. *Annals of the Rheumatic Diseases* 1996; 55:276-283.

4. Schanberg L E, Sandstrom M J. Causes of pain in children with arthritis. *Rheumatic Diseases Clinics of North America* 1998; 25(1): 31-53.
5. *Pediatric Rheumatology, Rheumatic disease Clin of N Am* 1997; No3.
6. Nisell R, Lundeberg T. Smärta och inflammation. Studentlitteratur 1999.
7. Bowyer S L, Hollister J R. Limb pain in childhood. *Pediatr Clin North Am* 1984;31:1053-1081.
8. Juvenil Kronisk Artrit, Vårdprogram 2000; Arbetsgruppen för Barnreumatologi, Svenska Barnläkarföreningen.
9. Varni J W, Bernstein, Bram H. Evaluation and Management of Pain in Children with Rheumatic Diseases. *Rheumatic Disease Clin of N Am* 1991; No. 4: 985-1000

Cancersmärter

1. Enskär K, Carlsson M, Golsäter M, Hamrin E, Kreuger A. Life situation and problems as reported by children with cancer and their parents. *J Pediatr Oncol Nurs* 1997;14(No 1):18-26.
2. Miser A, Dothage J, Wesley R, Miser J. The prevalence of pain in a pediatric and young adult cancer population. *Pain* 1987;29:73-83.
3. McGrath P, Hsu E, Cappelli M, Luke B, Goodman J, Dunn-Geier J. Pain from pediatric cancer: A survey of an outpatient oncology clinic. *J Psychosoc Oncol* 1990;8(2/3):109-124.
4. Elliott S, Miser A, Dose A, Betcher D, O'Fallon J, Ducos R, et al. Epidemiologic Features of Pain in Pediatric Cancer Patients: A Co-operative Community-Based Study. *ClinJ Pain* 1991;7:263-268.
5. Ljungman G, Kreuger A, Gordh T, Berg T, Sörensen S, Rawal N. Treatment of pain in pediatric oncology: a Swedish nationwide survey. *Pain* 1996;68(2,3):385-394.
6. Ljungman G, Gordh T, Sörensen S, Kreuger A. Pain in paediatric oncology: interviews with children, adolescents, and their parents. *Acta Paediatr* 1999;88:623-630.
7. Miser A, McCalla J, Dothage J, Wesley M, Miser J. Pain as a presenting symptom in children and young adults with newly diagnosed malignancy. *Pain* 1987;29:85-90.
8. Bach S, Noreg M, Tjellden N. Phantom limb pain in amputees during the first 12 months following amputation after preoperative lumbar epidural blockade. *Pain* 1988;33:297-301.
9. Mahon W, DeGregorio M. Benzydamine: A critical review of clinical data. *Int J Tissue React* 1985;7:229-235.
10. Arnér S, Meyerson B. Opioid sensitivity of neuropathic pain - a controversial issue. In: Besson J, Guilbaud G, editors. *Lesions of primary afferent fibers as a tool for the study of clinical pain*. Amsterdam: Elsevier; 1991. p. 259-275.

11. Riehm H, Ebell W, Feickert H, Reiter A. Acute Lymphoblastic Leukaemia. In: Voute P, Barret A, Lemerle J, editors. *Cancer in Children*. 3 ed. New York Berlin Heidelberg: Springer-Verlag; 1992. p. 85-106.

Neurogena smärttillstånd

1. Krane EJ, Heller LB. The prevalence of phantom sensation and pain in pediatric amputees. *J Pain Symptom Management* 1995;10:21-9. 2. Melzack R, Israel R, Lacroix R, Schutz G. Phantom limbs in people with congenital limb deficiency or amputation in early childhood. *Brain* 1996;120:1603-20.

3. Wilkins KL, McGrath PJ, Finley GA, Katz J. Phantom limb sensations and phantom limb pain in child and adolescent amputees. *Pain*;1998:78-7-12.

4. Stanton-Hicks M, Jänig W, Hassenbusch S, Haddox JD, Boas R, Wilson P. Reflex sympathetic dystrophy: changing concept and taxonomy. *Pain* 1995;63:127-133.

5. Sherry DD, Weisman R. Psychologic aspects of childhood reflex neurovascular dystrophy. *Pediatrics* 1988;81:572-8.

6. Bernstein BH, Singsen BH, Kent JT, et al. Reflex neurovascular dystrophy in childhood. *J Pediatr* 1978;93:211-5.

7. Wilder RT, Berde CB, Wolohan M, Vieyra MA, Masek BJ, Micheli LJ. Reflex sympathetic dystrophy in children. Clinical characteristics and follow-up of seventy patients. *J Bone Joint Surg Am.* 1992;74:910-9.

8. Olsson GL, Arnér S, Hirsch G. Reflex sympathetic dystrophy in children. *Advances of pain research and therapy* 1990;15:323-31.

Smärta hos barn med funktionshinder

1. Larsson C, Östlund A-C, Henley D, Christersson S, Westerberg B: AMOR-nationellt samarbete kring avancerad medicinsk omvårdnad vid flerfunktionshinder, egna erfarenheter . (Kommer att ges ut som kompendium).

2. Liptak G, O'Donnell M, Conaway M, Chumela C, Worley G et al. Health status of children with moderate to severe Cerebral palsy. *Dev.Med. of Child Neurology* 2001, 43:364-370.

3. Oberlander T, O'Donnell M, Montgomery C. Pain in children with significant neurological impairment. *Dev. and Behavioral Pediatrics* 1999 vol 20 no 4,235-243.

4. Astin M, Lawton D, Hirst M. The prevalence of pain in a disabled population. *Soc.Sci.Med.* 1996. vol 40 .no 11 1457-1464.

5. Houlihan C, O'Donnell M, Conaway M, Stevenson R .Bodily pain and health related quality of life in children with Cerebral palsy (in press).

Smärtbehandling av barn på sjukhus

Epidemiologi

1. Swafford LI, Allen D: Pain relief in the pediatric patient *Med Clin North Am* 1968;52:133.
2. Hamers JPH, Abu-Saad HH, m. fl: Are children given insufficient pain-relieving medication postoperativley? *Journal of Advanced Nursing* 1998;27:37-44.
3. Karling M, Ljungman G, Renström M: Acute and postoperative pain in children: a Swedish nationwide survey. *Acta Paediatr* (in press).

Struktur och organisation

1. Karling M, Ljungman G, Renström M: Acute and postoperative pain in children: a Swedish nationwide survey. *Acta Paediatr* (in press).
2. McGrath PJ, Ritchie JA, Unruh AM. Paediatric pain. In: Carroll D, Bowsher D, eds. *Pain management and nursing care*. Oxford: Butterworth Heinemann, 1993:100-23.
3. Rawal N, Berggren L. Organization of acute pain services: a low-cost model. *Pain* 1994;57:117-23.
4. Hofer, Högström: The role of the nurse in postoperative pain therapy. *Balliere's Clinical Anaesthesiology* 1995; 9(3) 461-7.
5. McQuay H, Moore A, Justins D: Treating acute pain in hospital. *BMJ* 1997 May 24;314(7093):1531-5.
6. Europain Task Force: European minimum standards for the management of Postoperative Pain. Pegasus Healthcare International 1998.
7. Breivik H, Högström H Niemi G m fl: Safe and effective postoperative pain relief: introduction and continuous quality improvement of comprehensive postoperative pain management programmes. *Balliere's Clinical*.
8. Morton NS(Ed), *Acute Paediatric pain management a practical Guide*. WD Saunders 1998.